

**Image**



|                       |   |
|-----------------------|---|
| <b>Tech Pack</b>      | D31974 FRCH FT ACTIVE SS<br>LOGO DRS 000733599<br>Adopted |
| <b>Season</b>         | Spring 2024   |
| <b>Brand/Division</b> | GAP - GIRLS   |
| <b>Department</b>     | GIRLS ACTIVE KNITS  |
| <b>Collection</b>     | GIRLS KNIT DRESSES  |


|                             |  |
|-----------------------------|--|
| <b>Design BOM</b>           | FRCH FT ACTIVE SS LOGO DRS<br>000733599 881443 |
| <b>BOM Number</b>           | 000733599                                      |
| <b>Category</b>             | KNITS  |
| <b>Sub-Category</b>         | KNIT DRESSES/SKIRTS                            |
| <b>Legacy Style Numbers</b> | 881443   |
| <b>Status</b>               | Adopted  |

|                 |                      |
|-----------------|----------------------|
| <b>Flow</b>     | February             |
| <b>Vendor</b>   | SHINWON CORPORATION  |
| <b>Created</b>  | 10/12/2023, 12:23 AM |
| <b>Modified</b> | 10/12/2023, 12:24 AM |

**Disclaimer Text**

This Gap Inc. style must be produced and tested in compliance with all Product Safety Standards and Procedures as outlined in the Product Safety & Regulations Manual (Apparel & Apparel Accessories), PSR Protocols, SOPs, and current Technical Bulletins. This information can be found on the Gap Source Library on The Thread (Category Standards & Testing). Each vendor is responsible for ensuring that all products made for Gap Inc. are in compliance with all applicable laws, rules, guidelines, and regulations.

**Components**

| Component  | Type                     | Status  | Legacy Style Numbers | Active CC Count on BOM | Active BOM CCs   | Active BOM CCs Images   | Created              | Modified             |
|--|--------------------------|---------|----------------------|------------------------|--|---|----------------------|----------------------|
| FRCH FT ACTIVE SS LOGO DRS 000733599 881443  | Design BOM               | Adopted | 881443               | 2                      | Sugar Pink S24G107 CB - 000002887061, New Off White V2 S24G107 CA - 000002887062 |  | 10/12/2023, 12:24 AM | 10/12/2023, 12:24 AM |
| D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-28-23-Final Final | Measurement Chart        | Final   |                      |                        |  |   | 10/12/2023, 12:24 AM | 10/12/2023, 12:24 AM |
| D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-28-23-Final Final | Measurement Chart        | Final   |                      |                        |  |   | 10/12/2023, 12:24 AM | 10/12/2023, 12:24 AM |
| 9-05-23 2ND BULK SHINWO  | Measurement Chart Review |         |                      |                        |  |   | 10/12/2023, 12:24 AM | 10/12/2023, 12:24 AM |
| D31974   | Spec Component           | Active  |                      |                        |  |   | 10/12/2023, 12:24 AM | 10/12/2023, 12:24 AM |

Displaying 5 results

**Documents**

| Document  | File  | Created            | Modified           | Delete Document | Owner                               | Owner Type          |
|---|---|--------------------|--------------------|-----------------|-------------------------------------|---------------------|
| 8229 BOM-690250 HANSAE.jpg                                      | 8229 BOM-690250 HANSAE.jpg                                      | 5/24/2023, 4:09 PM | 5/24/2023, 4:09 PM |                 | FRCH FT<br>ACTIVE<br>SS LOGO<br>DRS | Design              |
| S24G107 DRESS RUFFLE ARCH.ai                                    | S24G107 DRESS RUFFLE ARCH.ai                                    | 6/27/2023, 5:22 PM | 6/27/2023, 5:22 PM |                 | S24G107<br>DRESS<br>RUFFLE<br>ARCH  | Color/Print/Graphic |
| SP23_GS_D8229_BOM690250_HANSAE_R<br>22.08.25-GRADE-20220829.dsn | SP23_GS_D8229_BOM690250_HANSAE_R<br>22.08.25-GRADE-20220829.dsn | 5/24/2023, 4:09 PM | 5/24/2023, 4:09 PM |                 | FRCH FT<br>ACTIVE<br>SS LOGO<br>DRS | Design              |

Displaying 3 results

Centric 8 Production  
(7.4)

D31974-FRCH FT ACTIVE SS LOGO  
DRS

FRCH FT ACTIVE SS LOGO DRS 000733599  
881443

IN WORK-Sample 10/12/2023, 12:59 AM



|                          |  |
|--------------------------|--|
| Design Number            | D31974   |
| Description              | FRCH FT ACTIVE SS LOGO DRS                     |
| BOM Number               | 000733599                                      |
| Design BOM               | FRCH FT ACTIVE SS LOGO DRS<br>000733599 881443 |
| Status                   | Adopted  |
| BOM Version              |  |
| BOM Primary RD Number    | 232943   |
| Material Supplier Status |  |
| Primary RD Comment       |  |
| Carryover                |  |
| Season                   | Spring 2024                                    |
| Brand/Division           | GAP - GIRLS                                    |
| Department               | GIRLS ACTIVE KNITS                             |
| Collection               | GIRLS KNIT DRESSES                             |
| Design Concept           | LA   |
| Flow                     | February                                       |
| Category                 | KNITS  |
| Sub-Category             | KNIT DRESSES/SKIRTS                            |
| Item Type                | DRESSES  |
| Design Type              | Dress  |
| Design Sub-Type          | Dress  |
| Fit Camp                 |  |
| Element                  |  |
| Vendor                   | SHINWON CORPORATION                            |
| GIS Office               | Vietnam  |
| Supplier [Allocate]      |  |
| Legacy Style Numbers     | 881443   |
| Booking Track            |  |
| Good/Better/Best         |  |
| Priority                 |  |
| Hard Tag Indicator       |  |
| Hang/Fold Instructions   |  |
| BOM Comments New         |  |





Revision Modified 10/12/2023, 12:59 AM

**Costing Information**








|                             |   |
|-----------------------------|---|
| Last Send to Costing Date   | 7/13/2023, 10:19 AM   |
| Last Send to Costing Status | Quote HQ1585650 is successfully posted to TradeStone.                       |
| Send to Costing Status      | pass  |
| Send to Costing Validation  |   |
| Send to Costing             | <span style="background-color: green; color: white; padding: 2px;"> </span> |

**BOM Details**

| Product    | Material Name                | Supplier Article Number | Gauge/Ends | Stitch | Common Size | Common Qty | Usage          | Image | Primary RD | Quality Details  | Supplier [Allocate]         | UOM | Only for Product Colors | Sugar Pink S24G107 CB - 000002887061  | New Off White V2 S24G107 CA - 000002887062  | Comment |
|------------|------------------------------|-------------------------|------------|--------|-------------|------------|----------------|-------|------------|--|-----------------------------|-----|-------------------------|---|---|---------|
| Fabric (2) |                              |                         |            |        |             |            |                |       |            |  |                             |     |                         |   |   |         |
| 232943     | 77/23 French Terry Piece Dye | CT-T0205                |            |        |             | 0          | MAIN BODY, SLV |       | ✓          | 77% Cotton Conventional, 23% Polyester Conventional / 18 / C26s+P50D/36F+CVC16s Spun / 72.0 in / 265.0 g/m2 BW / 280.0 g/m2 AW / Piece Dye | 232943:COLOR & TOUCH CO LTD |     |                         |  |  |         |




Displaying 1 - 1 of 10 results

**BOM Details**

| Product     | Material Name  | Supplier Article Number  | Gauge/Ends | Stitch | Common Size | Common Qty | Usage   | Image | Primary RD | Quality Details   | Supplier [Allocate]         | UOM | Only for Product Colors | Sugar Pink S24G107 CB - 000002887061  | New Off White V2 S24G107 CA - 000002887062   | Comment |
|-------------|--|--|------------|--------|-------------|------------|---|-------|------------|---|-----------------------------|-----|-------------------------|---|--|---------|
| 216148      | MATCHING RIB 1X1 Piece Dye   | CT10185R   |            |        |             | 0          | RIB @ NECK  |       |            | 100% Cotton Conventional / 14 / C26s/2 Spun / 72.0 in / 400.0 g/m2 BW / 420.0 g/m2 AW / Piece Dye - Solid | 216148:COLOR & TOUCH CO LTD |     |                         |                              |   |         |
| Trim (2)    |  |  |            |        |             |            |   |       |            |   |                             |     |                         |   |  |         |
| 183757      | Spun Polyester_Gap   | Preferred - A&E or Coats; Tier 2 - Youm Kwang (Shell RD: 183427) |            |        | 27          | 0          | CONSTRUCTION INTERIOR THREAD AND LOOPERS. EXTERIOR TOPSTITCHING NEEDLES AND LOOPERS. 12-14 SPI, 27 TEX. needle seam |       |            |   | 183757:Platform             |     |                         |                              |   |         |
| 170523      | TAPE FOUNDATION COTTON 1V HEAVIER HERRINGBONE TWILL ARTICLE YS15-CTV2010 | YS15-CTV2010   |            |        | 3/8         | 0          | @ interior bk nk tape   |       |            |   | 170523:YU SUNG              |     |                         |                              |  |         |
| Wash (1)    |  |  |            |        |             |            |   |       |            |   |                             |     |                         |   |  |         |
| 1017066     | WASH   |  |            |        |             | 0          |   |       |            |   |                             |     |                         | 60 min garment wash + extra softener  | 60 min garment wash + extra softener   |         |
| Graphic (2) |  |  |            |        |             |            |   |       |            |   |                             |     |                         |   |  |         |
| GRAPHIC     | GRAPHIC  |  |            |        |             | 0          |   |       |            |   |                             |     |                         | S24G107 DRESS RUFFLE ARCH  |  | combo B |

Displaying 2 - 6 of 10 results

BOM Details

| Product                  | Material Name  | Supplier Article Number   | Gauge/Ends | Stitch | Common Size | Common Qty | Usage  | Image   | Primary RD | Quality Details   | Supplier [Allocate] | UOM | Only for Product Colors | Sugar Pink S24G107 CB - 000002887061 | New Off White V2 S24G107 CA - 000002887062 | Comment   |         |
|--------------------------|--|---------------------------|------------|--------|-------------|------------|--|---|------------|---|---------------------|-----|-------------------------|--------------------------------------|--|---|---------|
| GRAPHIC                  | GRAPHIC  |                           |            |        |             | 0          | -COPY  |   |            |   |                     |     |                         |                                      |  | S24G107 DRESS RUFFLE ARCH  | combo A |
| Packaging and Labels (3) |  |                           |            |        |             |            |  |   |            |   |                     |     |                         |                                      |  |   |         |
| 305015                   | GAP KIDS FABRICATION FLEECE FRENCH TERRY HEAT TRANSFER LABEL GENERIC TOPS HTL Other Label Canada EU Global | AVERY DENNISON, RPAC      |            |        |             | 0          | @ interior- 1/2" BELOW NK TRIM AT INTERIOR CB                    |   |            | Other Label //  | 305015:Nominated    |     |                         | WHITE                                | GAP BLUE WITH HALO                         |   |         |
| 188658                   | Gap_Universal_Normal Wash_C&C Label (Global) - 30mm Slit edge single face satin tape Care/Content Label    | AVERY DENNISON, SML, RPAC |            |        |             | 0          | @ TEE & SKORT: @ INTERIOR 2" ABOVE HEM AT WEARERS LEFT SIDE SEAM |  |            | Care/Content Label //   | 188658:Nominated    |     |                         |                                      |  |   |         |
| 146541                   | Printed GGO Global Traceability Label Traceability Label/Joker Tag   | VENDOR SOURCED            |            |        |             | 0          | @ TEE & SKORT  |  |            | Traceability Label/Joker Tag / Polyester / Straight Cut & Fused | 146541:Nominated    |     |                         |                                      |  |   |         |

Displaying 7 - 10 of 10 results

**Centric 8**    **D31974-**    **D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and**    **READY-Sample 10/12/2023, 12:59 AM**  
**Production**    **FRCH FT**    **change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption**  
**(7.4)**    **ACTIVE SS**    **comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-**  
**LOGO DRS**    **28-23-Final Final**

Image



|                          |  |
|--------------------------|--|
| <b>Season</b>            | Spring 2024  |
| <b>Measurement Chart</b> | D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-28-23-Final Final |

|                             |   |
|-----------------------------|---|
| <b>Milestone</b>            | Final                                       |
| <b>Size Range</b>           | ALPHA                                       |
| <b>Selected Sizes</b>       | XS-XXL                                      |
| <b>Base Size</b>            | M   |
| <b>Grade Rule</b>           | Gap Girl Knit Sweater Top Alpha (Half) 2022 |
| <b>Size Chart Tier</b>      | KB Alpha L30                                |
| <b>Status</b>               | Final                                       |
| <b>Sample Request Sizes</b> | M   |

|                             |  |
|-----------------------------|--|
| <b>Tolerance Changed</b>    | ✓  |
| <b>Tolerance Message</b>    |  |
| <b>Revision Created</b>     | 10/11/2023, 7:25 PM  |
| <b>Revision Created By</b>  | Svetlana Nevskaya  |
| <b>Revision Modified</b>    | 10/12/2023, 12:59 AM   |
| <b>Revision Modified By</b> | Abby Pyo   |
| <b>MC Comments</b>          | REF D8229 French Terry 18.75-Sh 18-Ch 28. 7-03-23-Reduced shoulder |

Measurement Chart

| POM Name       | Description  | POM Variation          | QC | Tol Fraction (-) | Tol Fraction (+) | Tolerance Message | Grading Override Message | XS     | S      | M     | L   | XL  | XXL |
|----------------|--|------------------------|----|------------------|------------------|-------------------|--------------------------|--------|--------|-------|-----|-----|-----|
| J9.8           | CF Body Length from the Imaginary Line at the HPS to the Bottom Edge | (G) Dress              | ✓  | -1/2             | 1/2              |                   |                          | -2 3/4 | -2 3/4 | 28    | 2   | 2   | 2   |
| B25.13         | Neck Width   | (G) Seam to Seam >7"   | ✓  | -1/4             | 1/4              |                   |                          | -1/4   | -1/4   | 7 1/4 | 1/4 | 1/4 | 1/4 |
| ↳ XS MNS ISSUE |  |                        |    |                  |                  |                   |                          |        |        |       |     |     |     |
| B26.2          | Front Neck Drop  | Imaginary Line to Seam |    | -1/4             | 1/4              |                   |                          | -1/4   | -1/4   | 3 1/2 | 1/8 | 1/8 | 1/8 |
| B29.6          | Back Neck Drop   | Imaginary Line to Seam |    | -1/8             | 1/8              |                   |                          | -1/4   | 0      | 1 3/8 | 0   | 1/8 | 0   |

Displaying 1 - 4 of 19 results

Units: Fractions of inches    Grade Rule Display: Increment



**Centric 8**    **D31974-**    **D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and**    **READY-Sample 10/12/2023, 12:59 AM**  
**Production**    **FRCH FT**    **change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption**  
**(7.4)**    **ACTIVE SS**    **comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-**  
**LOGO DRS**    **28-23-Final Final**

**Measurement Chart**

| POM Name  | Description                            | POM Variation                 | QC | Tol Fraction (-) | Tol Fraction (+) | Tolerance Message | Grading Override Message | XS     | S    | M      | L   | XL  | XXL |
|---|--|-------------------------------|----|------------------|------------------|-------------------|--------------------------|--------|------|--------|-----|-----|-----|
| Z18.3   | Trim Height                            | Neck at Center Back           |    | -1/8             | 1/8              |                   |                          | 0      | 0    | 3/4    | 0   | 0   | 0   |
| C1.21   | Shoulder Width                         | (G) Front - Edge to Edge >15" | ✓  | -1/2             | 1/2              |                   |                          | -1     | -3/4 | 16 3/4 | 3/4 | 3/4 | 3/4 |
| ↳ G-18  |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| C3  | Shoulder Slope                         |                               |    | -1/8             | 1/8              |                   |                          | -1/8   | -1/8 | 1 1/2  | 1/8 | 0   | 1/8 |
| ↳ G/V   |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| C7  | Shoulder Seam Forward at Neckline      |                               |    | -1/8             | 1/8              |                   |                          | 0      | 0    | 3/8    | 0   | 0   | 0   |
| D13.3   | Armhole Straight - 2 Point Measurement | (G) </=6.5"                   | ✓  | -1/4             | 1/4              |                   |                          | -1/2   | -1/2 | 5 3/8  | 1/4 | 1/4 | 1/4 |
| ↳ TO TOP OF GUSSET  |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| D13.3   | Armhole Straight - 2 Point Measurement | (G) </=6.5"                   | ✓  | -1/4             | 1/4              |                   |                          | -5/8   | -5/8 | 9      | 3/8 | 3/8 | 3/8 |
| ↳ INCLUDE GUSSET G  |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| F10.11  | Chest 1" Below Armhole                 | (G) </=16"                    | ✓  | -1/2             | 1/2              |                   |                          | -1     | -3/4 | 17 1/2 | 3/4 | 3/4 | 3/4 |
| i6  | Bottom Sweep Along Curve               |                               | ✓  | -1/2             | 1/2              |                   |                          | -1 1/8 | -3/4 | 18     | 3/4 | 7/8 | 3/4 |
| ↳ G/V   |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| T10.2   | Hem Height                             | Bottom                        |    | -1/8             | 1/8              |                   |                          | 0      | 0    | 3/4    | 0   | 0   | 0   |
| T7  | Shirring Length                        |                               |    | -1/8             | 1/8              |                   |                          | -1/2   | -1/2 | 9      | 1/4 | 1/4 | 1/4 |
| ↳ TOTAL FRONT AND BACK CENTERED OVER SHOULDER SEAM-1.5 TO 1 RATIO |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| E2.1  | Sleeve Length from Shoulder Seam       | Short                         | ✓  | -3/8             | 3/8              |                   |                          | -1/4   | -1/4 | 4 1/2  | 1/8 | 1/8 | 1/8 |
| ↳ G/V JSS   |  |                               |    |                  |                  |                   |                          |        |      |        |     |     |     |
| E3.2  | Underarm Sleeve Length                 | Short                         |    | -1/4             | 1/4              |                   |                          | -1/8   | -1/8 | 1 1/2  | 0   | 1/8 | 0   |
| E13.1   | Sleeve Opening Relaxed                 | Short                         | ✓  | -1/4             | 1/4              |                   |                          | -3/4   | -3/4 | 11 1/8 | 1/2 | 1/2 | 3/8 |

Displaying 5 - 17 of 19 results

Units: Fractions of inches    Grade Rule Display: Increment

**Centric 8 Production (7.4)**    **D31974-FRCH FT ACTIVE SS LOGO DRS**    **D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-28-23-Final Final**    **READY-Sample 10/12/2023, 12:59 AM**

**Measurement Chart**

| POM Name     | Description          | POM Variation  | QC | Tol Fraction (-) | Tol Fraction (+) | Tolerance Message | Grading Override Message | XS | S | M   | L | XL | XXL |
|--------------|----------------------|----------------|----|------------------|------------------|-------------------|--------------------------|----|---|-----|---|----|-----|
| ↳ G/V JSS    |                      |                |    |                  |                  |                   |                          |    |   |     |   |    |     |
| <b>T10.7</b> | Hem Height           | (G) Sleeve <1" |    | -1/8             | 1/8              |                   |                          | 0  | 0 | 1/2 | 0 | 0  | 0   |
| <b>B34</b>   | Minimum Neck Stretch |                | ✓  | -0.0             | 1/8              |                   |                          | -1 | 0 | 22  | 1 | 0  | 0   |

Displaying 18 - 19 of 19 results Units: Fractions of inches    Grade Rule Display: Increment

|   |   |   |  |
|---|---|---|--|
| <b>Centric 8<br/>Production<br/>(7.4)</b> | <b>D31974-<br/>FRCH FT<br/>ACTIVE SS<br/>LOGO DRS</b> | <b>D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-28-23-Final Final</b> | <b>READY-Sample 10/12/2023, 12:59 AM</b> |
|---|---|---|--|

**Image**



|                          |  |                             |   |                             |  |
|--------------------------|--|-----------------------------|---|-----------------------------|--|
| <b>Season</b>            | Spring 2024  | <b>Milestone</b>            | Final                                       | <b>Tolerance Changed</b>    | ✓  |
| <b>Measurement Chart</b> | D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-28-23-Final Final | <b>Size Range</b>           | ALPHA                                       | <b>Tolerance Message</b>    |  |
|                          |  | <b>Selected Sizes</b>       | XS-XXL                                      | <b>Revision Created</b>     | 10/11/2023, 7:25 PM  |
|                          |  | <b>Base Size</b>            | M   | <b>Revision Created By</b>  | Svetlana Nevskaya  |
|                          |  | <b>Grade Rule</b>           | Gap Girl Knit Sweater Top Alpha (Half) 2022 | <b>Revision Modified</b>    | 10/12/2023, 12:59 AM   |
|                          |  | <b>Size Chart Tier</b>      | KB Alpha L30                                | <b>Revision Modified By</b> | Abby Pyo   |
|                          |  | <b>Status</b>               | Final                                       | <b>MC Comments</b>          | REF D8229 French Terry 18.75-Sh 18-Ch 28. 7-03-23-Reduced shoulder |
|                          |  | <b>Sample Request Sizes</b> | M   |                             |  |

**Centric 8**    **D31974-**    **D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and**    **READY-Sample 10/12/2023, 12:59 AM**  
**Production**    **FRCH FT**    **change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption**  
**(7.4)**    **ACTIVE SS**    **comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-**  
**LOGO DRS**    **28-23-Final Final**

## Measurement Chart

| POM Name           | Description  | POM Variation                 | Tol Fraction (-) | Tol Fraction (+) | XS     | S      | M      | L      | XL     | XXL    |
|--------------------|--|-------------------------------|------------------|------------------|--------|--------|--------|--------|--------|--------|
| <b>J9.8</b>        | CF Body Length from the Imaginary Line at the HPS to the Bottom Edge | (G) Dress                     | -1/2             | 1/2              | 22 1/2 | 25 1/4 | 28     | 30     | 32     | 34     |
| <b>B25.13</b>      | Neck Width   | (G) Seam to Seam >7"          | -1/4             | 1/4              | 6 3/4  | 7      | 7 1/4  | 7 1/2  | 7 3/4  | 8      |
| ↳ XS MNS ISSUE     |  |                               |                  |                  |        |        |        |        |        |        |
| <b>B26.2</b>       | Front Neck Drop  | Imaginary Line to Seam        | -1/4             | 1/4              | 3      | 3 1/4  | 3 1/2  | 3 5/8  | 3 3/4  | 3 7/8  |
| <b>B29.6</b>       | Back Neck Drop   | Imaginary Line to Seam        | -1/8             | 1/8              | 1 1/8  | 1 3/8  | 1 3/8  | 1 3/8  | 1 1/2  | 1 1/2  |
| <b>Z18.3</b>       | Trim Height  | Neck at Center Back           | -1/8             | 1/8              | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    |
| <b>C1.21</b>       | Shoulder Width   | (G) Front - Edge to Edge >15" | -1/2             | 1/2              | 15     | 16     | 16 3/4 | 17 1/2 | 18 1/4 | 19     |
| ↳ G-18             |  |                               |                  |                  |        |        |        |        |        |        |
| <b>C3</b>          | Shoulder Slope   |                               | -1/8             | 1/8              | 1 1/4  | 1 3/8  | 1 1/2  | 1 5/8  | 1 5/8  | 1 3/4  |
| ↳ G/V              |  |                               |                  |                  |        |        |        |        |        |        |
| <b>C7</b>          | Shoulder Seam Forward at Neckline                                    |                               | -1/8             | 1/8              | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    |
| <b>D13.3</b>       | Armhole Straight - 2 Point Measurement                               | (G) </=6.5"                   | -1/4             | 1/4              | 4 3/8  | 4 7/8  | 5 3/8  | 5 5/8  | 5 7/8  | 6 1/8  |
| ↳ TO TOP OF GUSSET |  |                               |                  |                  |        |        |        |        |        |        |
| <b>D13.3</b>       | Armhole Straight - 2 Point Measurement                               | (G) </=6.5"                   | -1/4             | 1/4              | 7 3/4  | 8 3/8  | 9      | 9 3/8  | 9 3/4  | 10 1/8 |
| ↳ INCLUDE GUSSET G |  |                               |                  |                  |        |        |        |        |        |        |

Displaying 1 - 10 of 19 results

Units: Fractions of inches    Grade Rule Display: Absolute

**Centric 8**    **D31974-**    **D31974 MC GS: SP24: SHINWON: FTERRY: 28-BL 17.75-Sh 18-Ch. Same as D8229 and**    **READY-Sample 10/12/2023, 12:59 AM**  
**Production**    **FRCH FT**    **change sleeve. Follow pattern D8229 and adjust sleeve. 7-03-23-Apply adoption**  
**(7.4)**    **ACTIVE SS**    **comments and submit M. XS/XL will request later. 9-7-23-M approved, need XS/XL. 9-**  
**LOGO DRS**    **28-23-Final Final**

## Measurement Chart

| POM Name  | Description                      | POM Variation  | Tol Fraction (-) | Tol Fraction (+) | XS     | S      | M      | L      | XL     | XXL    |
|---|----------------------------------|----------------|------------------|------------------|--------|--------|--------|--------|--------|--------|
| <b>F10.11</b>   | Chest 1" Below Armhole           | (G) </=16"     | -1/2             | 1/2              | 15 3/4 | 16 3/4 | 17 1/2 | 18 1/4 | 19     | 19 3/4 |
| <b>i6</b>   | Bottom Sweep Along Curve         |                | -1/2             | 1/2              | 16 1/8 | 17 1/4 | 18     | 18 3/4 | 19 5/8 | 20 3/8 |
| ↳ G/V   |                                  |                |                  |                  |        |        |        |        |        |        |
| <b>T10.2</b>  | Hem Height                       | Bottom         | -1/8             | 1/8              | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    |
| <b>T7</b>   | Shirring Length                  |                | -1/8             | 1/8              | 8      | 8 1/2  | 9      | 9 1/4  | 9 1/2  | 9 3/4  |
| ↳ TOTAL FRONT AND BACK CENTERED OVER SHOULDER SEAM-1.5 TO 1 RATIO |                                  |                |                  |                  |        |        |        |        |        |        |
| <b>E2.1</b>   | Sleeve Length from Shoulder Seam | Short          | -3/8             | 3/8              | 4      | 4 1/4  | 4 1/2  | 4 5/8  | 4 3/4  | 4 7/8  |
| ↳ G/V JSS   |                                  |                |                  |                  |        |        |        |        |        |        |
| <b>E3.2</b>   | Underarm Sleeve Length           | Short          | -1/4             | 1/4              | 1 1/4  | 1 3/8  | 1 1/2  | 1 1/2  | 1 5/8  | 1 5/8  |
| <b>E13.1</b>  | Sleeve Opening Relaxed           | Short          | -1/4             | 1/4              | 9 5/8  | 10 3/8 | 11 1/8 | 11 5/8 | 12 1/8 | 12 1/2 |
| ↳ G/V JSS   |                                  |                |                  |                  |        |        |        |        |        |        |
| <b>T10.7</b>  | Hem Height                       | (G) Sleeve <1" | -1/8             | 1/8              | 1/2    | 1/2    | 1/2    | 1/2    | 1/2    | 1/2    |
| <b>B34</b>  | Minimum Neck Stretch             |                | -0.0             | 1/8              | 21     | 22     | 22     | 23     | 23     | 23     |

Displaying 11 - 19 of 19 results

Units: Fractions of inches    Grade Rule Display: Absolute

**Centric 8 Production (7.4)      D31974-FRCH FT ACTIVE SS LOGO DRS      9-05-23 2ND BULK SHINWO      APPROVED 9/7/2023, 3:00 PM**

**Measurement Chart**  
 D31974 MC GS: SP24:  
 SHINWON: FTERRY: 28-BL  
 17.75-Sh 18-Ch. Same as D8229  
 and change sleeve. Follow  
 pattern D8229 and adjust  
 sleeve. 7-03-23-Apply adoption  
 comments and submit M. XS/XL  
 will request later. 9-7-23-M  
 approved, need XS/XL. 9-28-23-  
 Final Final

**Measurement Chart**  
 9-05-23 2ND BULK SHINWO  
**Review**  
**Size Range**                      ALPHA  
**Selected Sizes**                XS-XXL  
**Base Size**                        M  
**Grade Rule**                    Gap Girl Knit Sweater Top Alpha  
 (Half) 2022  
**Status**                            Final

**Revision Description**      2ND BULK  
**Evaluation State**            Pass

**Evaluation**

| POM Name | Description     | POM Variation          | Tol Fraction (-) | Tol Fraction (+) | QC | M<br>9-05-23 2ND BULK SHINWO |   |               |                        |           |                 |         |
|----------|-----------------|------------------------|------------------|------------------|----|------------------------------|---|---------------|------------------------|-----------|-----------------|---------|
|          |                 |                        |                  |                  |    | Target                       | Sample  | Vendor Actual | Sample HQ Actual Delta | HQ Actual | HQ Actual Delta | Revised |
|          |                 |                        |                  |                  |    | J9.8                         | CF Body Length from the Imaginary Line at the HPS to the Bottom Edge  | (G) Dress     | -1/2                   | 1/2       | ✓               | 28      |
| B25.13   | Neck Width      | (G) Seam to Seam >7"   | -1/4             | 1/4              | ✓  | 7 1/4                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 7 1/4         | 0                      | 7         | -1/4            | 7 1/4   |
| B26.2    | Front Neck Drop | Imaginary Line to Seam | -1/4             | 1/4              |    | 3 1/2                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 3 3/8         | -1/8                   | 3 1/2     | 0               | 3 1/2   |
| B29.6    | Back Neck Drop  | Imaginary Line to Seam | -1/8             | 1/8              |    | 1 3/8                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 1 3/8         | 0                      | 1 3/8     | 0               | 1 3/8   |
| Z18.3    | Trim Height     | Neck at Center Back    | -1/8             | 1/8              |    | 3/4                          | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 3/4           | 0                      | 3/4       | 0               | 3/4     |

Displaying 1 - 5 of 21 results

Units: Fractions of inches

Evaluation

| POM Name                                  | Description                            | POM Variation                 | Tol Fraction (-) | Tol Fraction (+) | QC | M<br>9-05-23 2ND BULK SHINWO |   |               |                        |           |                 |         |
|---|--|-------------------------------|------------------|------------------|----|------------------------------|---|---------------|------------------------|-----------|-----------------|---------|
|   |  |                               |                  |                  |    | Target                       | Sample  | Vendor Actual | Sample HQ Actual Delta | HQ Actual | HQ Actual Delta | Revised |
| C1.21                                     | Shoulder Width                         | (G) Front - Edge to Edge >15" | -1/2             | 1/2              | ✓  | 16 3/4                       | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 16 3/8        | -3/8                   | 16 5/8    | -1/8            | 16 3/4  |
| ↳ G-18                                    |  |                               |                  |                  |    |                              |   |               |                        |           |                 |         |
| C3  | Shoulder Slope                         |                               | -1/8             | 1/8              |    | 1 1/2                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 1 1/2         | 0                      | 1 1/2     | 0               | 1 1/2   |
| ↳ G/V                                     |  |                               |                  |                  |    |                              |   |               |                        |           |                 |         |
| C7  | Shoulder Seam Forward at Neckline      |                               | -1/8             | 1/8              |    | 3/8                          | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 3/8           | 0                      | 3/8       | 0               | 3/8     |
| D13.3                                     | Armhole Straight - 2 Point Measurement | (G) </=6.5"                   | -1/4             | 1/4              | ✓  | 9                            | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 9 1/4         | 1/4                    | 9 1/4     | 1/4             | 9       |
| ↳ INCLUDE GUSSET G TO MAKE GUSSET GRADDED |  |                               |                  |                  |    |                              |   |               |                        |           |                 |         |
| D13.3                                     | Armhole Straight - 2 Point Measurement | (G) </=6.5"                   | -1/4             | 1/4              | ✓  | 5 1/4                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 5 1/2         | 1/4                    | 5 1/2     | 1/4             | 5 1/8   |
| ↳ TO TOP OF GUSSET                        |  |                               |                  |                  |    |                              |   |               |                        |           |                 |         |
| F11                                       | Chest at Armhole                       |                               | -1/2             | 1/2              | ✓  | 17 1/2                       | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 17 1/4        | -1/4                   | 17 3/8    | -1/8            | 17 1/2  |
| F10.11                                    | Chest 1" Below Armhole                 | (G) </=16"                    | -1/2             | 1/2              | ✓  | 17 1/2                       | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 0             | -17 1/2                | 17 3/8    | -1/8            | 17 1/2  |

Displaying 6 - 12 of 21 results

Units: Fractions of inches

Evaluation

| POM Name  | Description                      | POM Variation | Tol Fraction (-) | Tol Fraction (+) | QC | M<br>9-05-23 2ND BULK SHINWO |   |               |                        |           |                 |         |
|---|----------------------------------|---------------|------------------|------------------|----|------------------------------|---|---------------|------------------------|-----------|-----------------|---------|
|   |                                  |               |                  |                  |    | Target                       | Sample  | Vendor Actual | Sample HQ Actual Delta | HQ Actual | HQ Actual Delta | Revised |
| ↳ D8229   |                                  |               |                  |                  |    |                              |   |               |                        |           |                 |         |
| i6  | Bottom Sweep Along Curve         |               | -1/2             | 1/2              | ✓  | 18                           | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 18            | 0                      | 18        | 0               | 18      |
| ↳ D8229   |                                  |               |                  |                  |    |                              |   |               |                        |           |                 |         |
| T10.2   | Hem Height                       | Bottom        | -1/8             | 1/8              |    | 3/4                          | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 3/4           | 0                      | 3/4       | 0               | 3/4     |
| T7  | Shirring Length                  |               | -1/8             | 1/8              |    | 9                            | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 9             | 0                      | 9         | 0               | 9       |
| ↳ TOTAL FRONT AND BACK CENTERED OVER SHOULDER SEAM-1.5 TO 1 RATIO |                                  |               |                  |                  |    |                              |   |               |                        |           |                 |         |
| E2.1  | Sleeve Length from Shoulder Seam | Short         | -3/8             | 3/8              | ✓  | 4 1/2                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 4 1/2         | 0                      | 4 1/2     | 0               | 4 1/2   |
| ↳ G FOR 6.5   |                                  |               |                  |                  |    |                              |   |               |                        |           |                 |         |
| E3.2  | Underarm Sleeve Length           | Short         | -1/4             | 1/4              |    | 0                            | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 |               |                        | 0         | 0               | 0       |
| ↳ G 3.75 JSS D8227  |                                  |               |                  |                  |    |                              |   |               |                        |           |                 |         |
| E3.2  | Underarm Sleeve Length           | Short         | -1/4             | 1/4              |    | 1 1/2                        | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 1 1/4         | -1/4                   | 1 1/2     | 0               | 1 1/2   |

↳ **OPTION TWO**

Displaying 13 - 18 of 21 results

Units: Fractions of inches



**Evaluation**

| POM Name                 | Description            | POM Variation  | Tol Fraction (-) | Tol Fraction (+) | QC | M<br>9-05-23 2ND BULK SHINWO |   |               |                        |           |                 |         |
|--------------------------|------------------------|----------------|------------------|------------------|----|------------------------------|---|---------------|------------------------|-----------|-----------------|---------|
|                          |                        |                |                  |                  |    | Target                       | Sample  | Vendor Actual | Sample HQ Actual Delta | HQ Actual | HQ Actual Delta | Revised |
| E13.1                    | Sleeve Opening Relaxed | Short          | -1/4             | 1/4              | ✓  | 11                           | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 11            | 0                      | 11        | 0               | 11      |
| ↳ VENDOR TO PROVIDE SPEC |                        |                |                  |                  |    |                              |   |               |                        |           |                 |         |
| T10.7                    | Hem Height             | (G) Sleeve <1" | -1/8             | 1/8              |    | 1/2                          | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 1/2           | 0                      | 1/2       | 0               | 1/2     |
| B34                      | Minimum Neck Stretch   |                | -0.0             | 1/8              | ✓  | 22                           | 000255594 Fit M FRCH FT ACTIVE SS LOGO DRS 000733599 881443 000733599 | 22            | 0                      | 22        | 0               | 22      |

Displaying 19 - 21 of 21 results

Units: Fractions of inches

**Centric 8 Production (7.4)                      D31974-FRCH FT ACTIVE SS LOGO DRS                      D31974                      IN WORK 10/12/2023, 12:59 AM**

|                       |                    |                      |                    |                       |        |
|-----------------------|--------------------|----------------------|--------------------|-----------------------|--------|
| <b>Carry Over</b>     |                    | <b>Collection</b>    | GIRLS KNIT DRESSES | <b>Spec Component</b> | D31974 |
| <b>Brand/Division</b> | GAP - GIRLS        | <b>Number of CCs</b> | 2                  |                       |        |
| <b>Department</b>     | GIRLS ACTIVE KNITS | <b>Type</b>          | Safety Callouts    |                       |        |

**Items**

| Spec Item   | Safety Callouts     | PSR Age Group | PSR Product Group | PSR Market | Comment | PSR Line Review Date | BOM CC Exception | BOM CC Exception Comment |
|---|---------------------|---------------|-------------------|------------|---------|----------------------|------------------|--------------------------|
| <b>All Safety Callouts: Global ALL ALL - No Callout (514) (1)</b> <a href="#">↗</a> |                     |               |                   |            |         |                      |                  |                          |
| Global ALL ALL - No Callout (514)   | No Styling Callout. | ALL           | ALL               | Global     |         |                      |                  |                          |

Displaying 1 group and 1 result